25

5

## **VII - REFERENCES**

- Sambrook J, Fritsch EF, Maniatis T. Extraction, purification and analysis of messenger RNA from eukariotic cells. In: Molecular cloning, a laboratory manual, 2nd ed. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, 1989: 7.28 - 7.52.
  - 2) Petersen NE, Larsen LK, Nissen H, Jensen A, Petersen H et al. Improved RNase protection assay for quantifying LDL receptor mRNA; estimation of analytical imprecision and biological variance in peripheral blood mononuclear cells. Clin Chem 1995; 41: 1605 1613.
- 3) Saiki RK, Scharf S, Faloona F, Mullis KB, Horn CT, Erlich HA, Arnheim N.

  Enzymatic amplification of β-globine genomic sequences and restriction site

  analysis for diagnosis of sickle cell anemia. *Science* 1985; **230**: 1350 11354.
  - 4) Kawasaki ES, Wang AM. Detection of gene expression. In: PCR technology, Erlich H.A., ed., New York: Stockton, 1989: 89 97.
  - 5) Radnsky R, Bucana CD, Ellis LM, Sanchez R, Cleary KR, Brigati DJ, Fidler IJ. A rapid colorimetric *in situ* messenger RNA hybridization technique for analysis of epidermal growth factor receptor in parrafin-embedded surgical specimens of human colon carcinomas. *Cancer Res* 1993; **5** 3: 937 943.
  - 6) Murray Gl. In situ PCR. J Pathol 1993; 169: 187 188.
- 7) Fox JL, Hsu PH, Legator MS, Morrison LE, Seelig SA. Fluorescence in situ
   hybridization: powerful molecular tool for cancer prognosis. Clin Chem 1995; 41
   : 1554 1559.
  - 8) Stanley PE. A survey of more than 90 commercially available luminometers and imaging devices for low-light measurements of chemiluminescence and bioluminescence, including instruments for manual, automatic and specialized operation, for HPLC, LC, GLC and microtitre plates. Part 1: descriptions. *J Biolumin Chemilumin* 1992; **7**: 77 108.

20

25

10

5

- 9) Van Doornum GJ, Buimer M, Prius M, Henquet CJ, Coutinho RA, Plier PKet al.

  Detection of Chlamydia trachomatis infection in urine samples from men and
  women by ligase chain reaction. *J Clin Microbiol* 1995; **3 3**: 2042 2047.
- 10) Duck P, Alvarado-Urbina G, Burdick B, Collier B. Probe amplifier system based on chimeric cycling oligonucleotides. *Biotechniques* 1990; **9**:142 148.
- 11) Walker GT, Little MC, Nadeau JG, Shank DD. Isothermal in vitro amplification of DNA by a restriction enzyme/DNA polymerase system. *Proc Natl Acad Sci USA* 1992; **86**: 392 396.
- 12) Pearn J. The gene frequency of acute Werdning-Hoffmann disease (SMA type I). A total population survey in North East England. *J Med Genet* 1973; **10**: 260 265.
- 13) Pearn J. Incidence, prevalence, and gene frequency studies of chronic childhood spinal muscular atrophy. *J Med Genet* 1978; **1 5**; 409 413.
- 14) Czeizel A, Hamula J. A Hungarian study on Werdnig-Hoffmann didease. *J Med Genet* 1989 ; **26** : 761 763.
- 15) Munsat TL, Workshop report. International SMA collaboration. *Neuromusc Disord* 1991; **1**:81.
- 16) Lefebvre S, Bûrglen L, Reboullet S *et al.* Indentification and characterization of a spinal muscular atrophy-determining gene. *Cell* 1995; **80**: 155 165.
- 17) Van der Steege G, Grootscholten PM, Van der Vlies *et al.* PCR-based DNA test to confirm clinical diagnosis of autosomal recessive spinal muscular atrophy. *Lancet* 1995; **345**: 985 986.
- 18) Askanas V, Engel WK. New program for investigating adult human skeletal muscle growth aneurally in tissue culture. *Neurology* 1975; **25**: 58 67.
- 19) Askanas V, Gallez-Hawkins EF. Synergistic influence of polypeptide growth factors on cultured human muscle. *Arch Neurol* 1985 ; **42** : 749 752.
- 20) Ann DK, Wu MM, Huang T, Carlson DM, Wu R. Retinol-regulated gene expression in human tracheobronchia epithelial cells. Enhanced expression of elongation

factor EF-1alpha. J Biol Chem 1988; 263: 3546 - 3549.

21) Southern EM. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *Mol Biol* 1975; **98**: 503 - 517.